Exercises 10

1. Below you find a part of an 8-bit ASCII code table from a web page. What character string is encoded by the bit string given in binary representation as

0100'0011'0100'1000'0100'1001'0100'0101'0100'0110 ?

(The apostrophs are only used for better overview.)

Part of 8-bit ASCII code table:

Turt of a sit libert code tuste.		
decimal	hexadecimal	character
65	41	A
66	42	В
67	43	C
68	44	D
69	45	E
70	46	F
71	47	G
72	48	Н
73	49	I
74	4A	J
75	4B	K
	•••	•••

2. Write Java expressions for the following mathematical expressions:

(a)
$$\frac{a}{b+\frac{1}{c}} + 2.5 \cdot 10^6$$

(b)
$$e^{2k} \cdot \sqrt{x^2 - 2xy + 1}$$

(c)
$$z = \begin{cases} 1 & \text{if } n \text{ is even} \\ 0 & \text{otherwise} \end{cases}$$

(Remark: \sqrt{x} is Math.sqrt(x), e^x is Math.exp(x),

- a % b gives the rest when dividing a by b.)
- 3.(a) Which errors can possibly occur during runtime of the following Java program fragment?

```
int i;
float list[300];
float x, y;
...
/* i, x and y are somehow calculated */
...
list[i] = 1.5 / (x + y);
...
```

- (b) Which conditions (to be specified in Java syntax) should be checked to capture these errors before they can cause trouble?
- 4. Write an XL (or Java) program which prints all prime numbers between 1 and 1000 on the screen (and no other numbers).

Remark 1: An integer is a prime number if it is larger than 1 and if it is not divisible without rest by any other positive integer except 1 and itself.

Remark 2: **a** % **b** = rest of the division of integer **a** by integer **b** $(0 \le (\mathbf{a} \ \% \ \mathbf{b}) < \mathbf{b})$.